
REV_	DESCRIPTION	ECN#	DATE	REV	DESCRIPTION	ECN*	DATI
AO	RELEASE FOR PRODUCTION		12.3.96				
							1
							<u> </u>
							i
		<del> </del>		-			
				-			·
					1		<del></del>
							<del>                                     </del>
							<del></del>
							l
							<u> </u>
						-	
					6	<b></b>	<u> </u>
						ļ	<u> </u>
	All Control of the Co						
	THE STATE OF THE S						
			-,	1			
							i


ILI	NK			
105	629	6AC	. 0	0:
105	629	6AC	٥.0	02
105	629	6AC	٠.0	0:
105	629	6AC		04


dbx Professional Products 8760 South Sandy Parkway Sandy, Utah 84070


dbx 266A MAIN BOARD 80-6296 Size Document Number B


B 056296A0.000 Date: December 3, 1996|Sheet














ħ

DOD Software

dbx 266A MAIN BOARD 80-6296

056296A0.000

Revised: December 3, 1996

Bill Of Materials

Revision: A0 December 12, 1996 11:52:50

Quan Reference

Part SYMAN Description

24	BP1,BP2,BP3,BP4,C4,BP5,	.1MD3	62-0060	.1 uF Cap 50V 20% Ceramic AXL
	BP6,C8,BP100,BP101,BP103,			
	BP104,BP105,BP106,BP107,			
	BP108,BP110,BP200,BP201,			
	BP203,BP204,BP205,BP207,			
	BP208			·
2	C3,C7	33M25E1	60-0401	33 uF Cap 25V -20/+20% Elect. Rad, T&R
2	C5,C9	470M35E	60-0060	470 uF Cap 35V -20/+20% Elect-S
8	C6,C10,C105,C112,C120,	.047MA3	62-0067	0.047 uF Cap 50V 20% Axial Monolithic
	C205, C212, C220			
8	C100,C101,C107,C121,C200,	820PMD1	62-0005	820 pF Cap 50V 20% Ceramic Disc T&R
	C201, C207, C221			
	C102,C103,C202,C203	10PJD	62-0013	10 pF Cap 50V 5% Ceramic Disc
2	C104, C204	22NPM25E1	60-0402	22 uF Cap 25V -20/+20% Elect. NP , T&R
2	C106,C206	50PJD1	62-0008	50 pF Cap 50V 5% Ceramic Disc T&R
4	C108, C109, C208, C209	470PMD1	62-0003	470 pF Cap 50V 20% Ceramic Disc T&R .047 uF Cap 50V 5% Stacked Metal Pet 473J ammo
2	C110, C210	.047J 1M50El	56-0010 60-0044-01	1.0 uF Cap 50V -20/+20% Elect., T&R C&F
2 2	C111, C211 C113, C213	.068J	56-0011	.068 uF Cap 50V 5% Stacked Metal Pet 683J ammo
4	C114, C119, C214, C219	.39J	56-0040	.39 uF Cap 50V 5% Stacked Metal Pet 394J ammo
2	C115, C215	.0022J	56-0002	.0022 uF Cap 50V 5% Poly Film 222J ammo
4	C116,C117,C216,C217	2.2M50E1	60-0400	2.2 uF Cap 50V -20/+20% Elect. Rad, T&R
2	C118, C218	.22J	56-0014	.22 uF Cap 50V 5% Stacked Metal Pet 224J ammo
2	D1,D7	LED3701903	70-1903	LED ARRAY, Gn/Y1/Rd, RT. ANGLE, anti-tip housing
2	D2,D8	LED0701905	70-1905	LED ARRAY, RED 10 POS, RT. ANGLE, anti-tip housing
3	D3,D6,D9	LEDR701902	70-1902	LED Red, RT. ANGLE, anti-tip housing
2	D4,D10	LED2701908	70-1908	LED ARRAY, Rd/Gn, RT. ANGLE, anti-tip housing
2	D12,D14	1N5223	70-0041	1N5223 Diode Zener Glass, 1/2W, 50V, 10%
17	D13,D15,D16,D17,D18,D104,	1N4148	70-0002	1N4148 Diode Silicon Switching, 75 Volts PIV
	D105,D106,D107,D108,D109,			
	D204,D205,D206,D207,D208,			
_	D209		70.000	434004 B 13 4007
6	D26,D27,D28,D29,D30,D32	1N4004	70-0009	1N4004 Rect 1A 400V  Green Light Emitting Diode, T1 (AUTO INSERT)
8	D100,D101,D102,D103,D200, D201,D202,D203			
	H1	PA82300	00-0000	8X2 Pin Pad Pattern, Not a part, .300 Spacing
	H2	HDR321182	32-1182	9 Pin Hdr, 5X2, Straight, .23", 0.1" spacing
1	H3	HDR321080	32-1080	3 Pin Header, 0.1" spacing, 0.025" sq pins, Locking 16 Pin Cable, Flat, w/2 ends, 3.00", 0.1" spacing
1	H100	RC321155 HS704215	32-1155 70-4215	Heatsink, PCB Mount, Vert, for TO-220
2 6	HS1,HS2 J100,J101,J102,J200,J201,		32-0119	1/4 Phone Jack, Hor. Mount, Full Nose Thread Slimline
•	J202	5525115		2,1 Indie Sact, not. nouts, 1411 Note Interes Similare
1	MP1	MP300H156	00-0000	This is not a part
	P100, P101, P104, P105, P200,			50 K "B" 16mm, Rot Pot, 15mm D shaft, 41 Click
Ū	P201, P204, P205		٥	
2	P102, P202	20K402132	40-2132	20 K "A" 16mm, Rot Pot, 15mm D shaft, 41 Click
2	P103, P203	50K402136		50 K "A" 16mm, Rot Pot, 15mm D shaft, 41 Click
2	P106, P206	5K402130	40-2130	5 K "C" 16mm, Rot Pot, 15mm D shaft, 41 Click
4	P114, P115, P214, P215	50K420222	42-0222	50 K Trim Pot, Vertical Mount, 3/4 turn
1	PCB1	80-6296-A	80-6296-A	dbx 266AE MAIN PCB, RAW
4	Q1,Q2,Q100,Q200	2N4125	70-1008	2N4125 PNP, Gen. Purp. Amplifier/Switching Xstr
8	R1,R15,R16,R29,R30,R31,	4.99K 1%	52-0165	4.99 KOhm Resistor 1% 1/4 Watt Metal Film

DOD Software

dbx 266A MAIN BOARD 80-6296

Revised: December 3, 1996 Revision: A0

056296A0.000

December 12, 1996 11:52:50

Bill Of Materials Quan Reference

Part SYMAN

Description

			<del></del>						
	R152,R252			_				- 4.	
9	R2,R3,R5,R7,R9,R11,R13,	3K	50-0211	3	KOhm	Resistor	5%	1/4	Watt Carbon Film
	R158,R255							- 1.	
2	R4,R14	33.2K 1%	52-0082			Resistor	1%	1/4	Watt Metal Film
2	R6,R10	560	50-0193	560		Resistor	5%	1/4	Watt Carbon Film
9	R8,R12,R20,R126,R150,	10.0K 1%	52-0107	10.0	KOhm	Resistor	18	1/4	Watt Metal Film
	R151,R226,R250,R251								
16	R17,R18,R19,R22,R23,R24,	2.00K 1%	52-0186	2.00	KOhm	Resistor	18	1/4	Watt Metal Film
	R26,R27,R28,R32,R33,R34,								
	R114,R128,R214,R228								
2	R21,R25	3.01K 1%	52-0125			Resistor	18	1/4	Watt Metal Film
4	R100,R102,R200,R202	100 1%	52-0400	100		Resistor	18	1/4	Watt Metal Film
14	R101,R103,R104,R105,R106,		52-0091	20.0	KOhm	Resistor	18	1/4	Watt Metal Film
	R142,R156,R201,R203,R204,								
	R205,R206,R242,R256				1			_ /.	
2	R107,R207	5.1K	50-0217	5.1		Resistor	5%	1/4	Watt Carbon Film
8	R108,R109,R110,R183,R208,	49.9 1%	52-2006	49.9	Ohm	Resistor	1%	1/4	Watt Metal Film
	R209,R210,R283				<b>01</b>			- /-	W-EE W-E-1
4	R111,R182,R211,R282	909 1%	52-0313	909		Resistor	18	1/4	Watt Metal Film
2	R112,R212	47	50-0166	47		Resistor	5%	1/4	Watt Carbon Film
8	R113,R115,R130,R132,R213,	200 1%	52-0376	200	Onm	Resistor	1%	1/4	Watt Metal Film
	R215,R230,R232		50.000	04.0	770h	D		- /4	Make Makel Mile
4	R116,R118,R216,R218	24.9K 1%	52-0039			Resistor	18	1/4 1/4	Watt Metal Film
2	R117,R217	49.9K 1%	52-0020			Resistor	18	1/4	Watt Metal Film
2	R119,R219	16.9K 1%	52-0048	22		Resistor Resistor	18 58	1/4	Watt Metal Film Watt Carbon Film
4	R120,R124,R220,R224	22M 20	50-0307	20		Resistor	⊃າ 5%	1/4	Watt Carbon Film
2	R121,R221		50-0157	1.5		Resistor	5%	1/4	Watt Carbon Film
6	R122,R129,R153,R222,R229, R253	1.5M	50-0053	1.5	MOIIII	RESISCOI	37	1/4	watt carbon Film
10	R123,R134,R136,R140,R146,	1 002 19	52-0133	1 00	KOhm	Resistor	18	1/4	Watt Metal Film
10	R223,R234,R236,R240,R246	1.008 15	32-0133	1.00	KOIIII	RESISCOL	~ 0	±/ =	Watt Metal Pilm
2	R125,R225	2.2M	50-0282	2.2	MOhm	Resistor	5%	1/4	Watt Carbon Film
4	R127,R144,R227,R244	475 1%	52-0340	475		Resistor	1%	1/4	Watt Metal Film
4	R131,R133,R231,R233	7.15K 1%	52-0113			Resistor	1%	1/4	Watt Metal Film
2	R135,R235	124K 1%	52-0296	124		Resistor	1%	1/4	Watt Metal Film
4	R137,R143,R237,R243	39.2K 1%	52-0079			Resistor	1%	1/4	Watt Metal Film
2	R138,R238	30.1K 1%	52-0083			Resistor	1%	1/4	Watt Metal Film
4	R139,R141,R239,R241	210 1%	52-0373	210		Resistor	1%	1/4	Watt Metal Film
2	R145,R245	17.4K 1%	52-0047	17.4	KOhm	Resistor	1%	1/4	Watt Metal Film
8	R147,R160,R161,R165,R247,		52-0237	523	KOhm	Resistor	1%	1/4	Watt Metal Film
	R260,R261,R265								
2	R148,R248	301K 1%	52-0259	301	KOhm	Resistor	1%	1/4	Watt Metal Film
2	R149,R249	280K 1%	52-0262	280	KOhm	Resistor	1%	1/4	Watt Metal Film
2	R154,R254	412K 1%	52-0247	412	KOhm	Resistor	1%	1/4	Watt Metal Film
2	R157,R257	150K	50-0038	150	KOhm	Resistor	5%	1/4	Watt Carbon Film
2	R159,R259	560K	50-0269	560	KOhm	Resistor	5%	1/4	Watt Carbon Film
4	R166,R167,R266,R267	57.6K 1%	52-0018	57.6	KOhm	Resistor	1%	1/4	Watt Metal Film
4	R181,R184,R281,R284	2.61K 1%	52-0127	2.61	KOhm	Resistor	1%	1/4	Watt Metal Film
7	SC100,SC101,SC102,SC200,	SC340125	34-0125	Swite	ch Car	, Black			
	SC201,SC202,SC203								
4	SW100,SW102,SW201,SW203	SW440050	44-0050	Mini	In/Ou	ıt DPDT Swi	tch	(6 P:	ln) E-Switch
3	SW101,SW200,SW202	SW440051	44-0051	Mini	In/Ou	ıt 4PDT Swi	.tch	(12 ]	Pin) E-Switch

DOD Software

dbx 266A MAIN BOARD 80-6296

Revised: December 3, 1996

056296A0.000

Revision: A0

Bill Of Materials

December 12, 1996

11:52:50

Part SYMAN Quan Reference

Description

3	TP1, TP101, TP201	0-R	50-0317	0 Ohm Resistor 5% 1/4 Watt Carbon Film Radial T&R
8	TP100,TP102,TP103,TP104,	OMIT	00-0000	This part has been omitted
٥	TP200, TP202, TP203, TP204	OHII	00 0000	The part has seen empted
7	U1,U2,U3,U4,U5,U6,U7	LM339	72-4053	Quad Comparator
1	U17	7915-V	70-4124	7915 -15 Volt 1 A Voltage Regulator TO-220 VERT
1	U19	7815-V	70-4123	7815 +15 Volt 1 A Voltage Regulator TO-220 VERT
2	U100,U200	NE5532	72-4316	5532 Low Noise Dual Op-Amp
2	U101,U201	1252	72-4062	VCA, dbx UPC1252HA2 NEC Ungraded
2	U102,U202	1253	72-4067	RMS Detector, dbx UPC1253HA2 NEC
5	U103,U104,U106,U203,U204	TL074	72-4021	Quad JFet-Input Op-Amp
2	U105,U205	CA3046D	72-4321	CA3046 Matched Transister Pairs BPO
6	WA100, WA101, WA102, WA200,	WA280187	28-0187-A	Washer, for grounding J320119
	WA201,WA202			